Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3633	(microcomputer near3 communicat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 11:20
L2	144191	(computer near3 communicat\$3)	US-PGPUB; USPAT; IBM_TDB	OR .	ON	2007/12/13 11:20
L3	26466	(computer near3 communicat\$3) and ((creating sending generating writing storing recording processing) near6 message)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 11:22
L4	177	(computer near3 communicat\$3) and ((creating sending generating writing storing recording processing) near6 message) and ((identifying filtering comparing) near6 (plural\$3 near3 message))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 11:41
L5	13	(computer near3 communicat\$3) and ((creating sending generating writing storing recording processing) near6 message) and ((identifying filtering comparing) near6 (plural\$3 near3 message)) and (plural\$3 near3 database\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 11:24
L6	12	(computer near3 communicat\$3) and ((creating sending generating writing storing recording processing) near6 message) and ((identifying filtering comparing) near6 (plural\$3 near3 message)) and ((restart or reset) near3 (messag\$4 or communicat\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 11:28
L7	0	(computer near3 communicat\$3) and ((creating sending generating writing storing recording processing) near6 message) and ((identifying filtering comparing) near6 (plural\$3 near3 message)) and ((re\$start) near3 (messag\$4 or communicat\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 11:29
L8	0	(computer near3 communicat\$3) and ((creating sending generating writing storing recording processing) near6 message) and ((identifying filtering comparing) near6 (plural\$3 near3 message)) and ((restart) near3 (messag\$4 or communicat\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 11:29

	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '				·	
L9	7	(computer near3 communicat\$3) and ((creating sending generating writing storing recording processing) near6 message) and ((identifying filtering comparing) near6 (plural\$3 near3 message)) and (restart)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 11:29
L10	41	(computer near3 communicat\$3) and ((creating sending generating writing storing recording processing) near6 message) and ((identifying filtering comparing) near6 (plural\$3 near3 message)) and (configur\$3 near3 computer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 11:42
L13	739583	((command or instruction or program) near3 (geneart\$3 or stor\$3 or process\$3 or identif\$4 or compar\$4 or filter\$6 or control\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 12:49
L14	7986	((command or instruction or program) near3 (geneart\$3 or stor\$3 or process\$3 or identif\$4 or compar\$4 or filter\$6 or control\$4)) and (log near3 (database or memory))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 12:50
L15	5605	(computer or microcomputer or microprocessor or processor or system or controller) near6 communicat\$3 and I14	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 12:50
L16	5176	I15 and (e\$1prom or memory or EEProm)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 12:52
L17	984	I15 and (e\$1prom or memory or EEProm) and (controller near6 communicat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 12:52
L18	572	I15 and (e\$1prom or memory or EEProm) and (controller near6 communicat\$3) and @ad<"20030508"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 12:53
L19	270	I15 and (e\$1prom or memory or EEProm) and (controller near6 communicat\$3) and @ad<"20030508" and (configur\$6 near6 (computer or processor))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 12:54
L20	24	(reconfigur\$6 adj device).ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 13:09
S1	0	("("5410471" "6370890" "6397606" "6519712").PN.").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/12/13 11:18

			-			
S2	4	("5410471" "6370890" "6397606" " 6519712").PN.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 13:08
S3	139966	(message near3 (geneart\$3 or stor\$3 or process\$3 or identif\$4 or compar\$4 or filter\$6 or control\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 12:48
S4	139966	(message near3 (geneart\$3 stor\$3 process\$3 identif\$4 compar\$4 filter\$6 control\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:21
S5	596441	(computer or microcomputer or microprocessor or processor or system or controller) near6 communicat\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 12:50
S6	4943	(computer or microcomputer or microprocessor or processor or system or controller) near6 communicat\$3 and ((home near3 appliance) or refrigrat\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 13:58
S7	96792	S4 and S5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 13:58
S8	1241	S4 and S6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 13:59
S9	1061	S4 and S6 and (e\$1prom or memory or EEProm)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/13 12:51
S10	585	S4 and S6 and (e\$1prom or memory or EEProm) and (first or second or master or sub) near3 (processor or computer or system or database)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 14:03
S11	305	S4 and S6 and (e\$1prom or memory or EEProm) and (first or second or master or sub) near3 (processor or computer or system or database) and @ad<"20030508"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 14:09
S12	170	S4 and S6 and (e\$1prom or memory or EEProm) and (first or second or master or sub) near3 (processor or computer or system or database) and @ad<"20030508"	USPAT	OR	ON	2007/12/12 14:10
S13	68511	("62").CLAS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/12/12 17:26
S14	167	S7 and S13	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/12 17:28
S15	92	S7 and S13	USPAT	ADJ	ON	2007/12/12 17:28

S16	139977	(message near3 (genrat\$3 stor\$3 process\$3 identif\$4 compar\$4 filter\$6 control\$4 re-stor\$3 re-genrat\$3 re-creat\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:23
S17	23984	(database near3 memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:23
S18	1378	(database near3 memory) near6 (first or second)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:26
S19	63213	message near3 (record\$3 stor\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:25
S20	24	(database near3 memory) near6 (first or second) and (log near3 memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:26
S21	1541	(database near3 memory) near6 (first or second or log)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:40
S22	128	S16 and S19 and S21 and S5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:27
S23	66	S16 and S19 and S21 and S5	USPAT	OR	ON	2007/12/12 18:37
S24	104017	(generat\$3 creat\$3 receiv\$3 transmit\$3 send\$3 stor\$3 process\$3 identify\$3 compar\$3 filter\$3) near3 (message)	USPAT	OR	ON	2007/12/12 18:43
S25	252	(database near3 memory) near6 (first or second or log) and S24	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:44
S26	96103	(generat\$3 creat\$3 transmit\$3 send\$3 stor\$3 process\$3 identify\$3 compar\$3 filter\$3) near3 (message)	USPAT	OR	ON	2007/12/12 18:43
S27	244	(database near3 memory) near6 (first or second or log) and S26	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:49
S28	186	(message adj process\$3).ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:49
S29	106	(message adj process\$3).ti. and @ad<"20030508"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:50
S30	0	(message adj process\$3).ti. and @ad<"20030508" and S27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:50

S31	82	(message adj process\$3).ti. and @ad<"20030508" and S26	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:51
S32	2	(message adj process\$3).ti. and @ad<"20030508" and S26 and S17	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/12 18:51